

L Number	Hits	Search Text	DB	Time stamp
-	2	"20040010386"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 10:51
-	2	6683774.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:05
-	35652	rotational and angle and detection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:05
-	702	(rotational and angle and detection) and resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:05
-	2857	(rotational and angle and detection) and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:05
-	133	((rotational and angle and detection) and resolver) and ((rotational and angle and detection) and offset and gain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:42
-	4	(rotational near angle near detection) and offset and gain and maximum and minimum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 12:06
-	350	resolver and offset and gain and maximum and minimum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:49
-	1	(correcting near resolver near output).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 12:56
-	1	correcting near resolver near output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 12:56
-	686	correcting and resolver and output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 12:56
-	175	(correcting and resolver and output) and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:16

-	3934	rotational same angle same detection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:17
-	326	(rotational same angle same detection) and maximum and minimum and average	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:34
-	61	((rotational same angle same detection) and maximum and minimum and average) and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:21
-	2	6097183.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:22
-	33	(rotational same angle same detection) and maximum and minimum and average and sine and cosine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:37
-	5	73/862.331.ccls. and maximum and minimum and average	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:47
-	4	73/862.326.ccls. and maximum and minimum and average	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:48
-	2	5912638.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:23
-	2	4529922.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:48
-	9055	resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:48
-	1470	resolver and average	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:48
-	338	(resolver and average) and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:48

-	302	((resolver and average) and offset and gain) and (maximum or minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:49
-	223	((resolver and average) and offset and gain) and (maximum and minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:37
-	3	702/87.ccls. and resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:28
-	10	702/87.ccls. and rotational\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:38
-	0	702/87.ccls. and (rotational adj measuring adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:39
-	4	702/87.ccls. and rotational and angle and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:50
-	9079	resolver or (rotational near angle near sensor) and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:53
-	1763	(resolver or (rotational near angle near sensor) and offset and gain) and maximum and minimum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:53
-	329	((resolver or (rotational near angle near sensor) and offset and gain) and maximum and minimum) and sine and cosine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 12:57
-	2	"20020124663"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:30
-	9107	resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:57
-	664	resolver and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:57

-	45957	(resolver and offset and gain) and sine or cosine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:57
-	249	(resolver and offset and gain) and sine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:58
-	197	(resolver and offset and gain) and cosine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:58
-	5	(brushless near resolver) and gain and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:54
-	334	(resolver and gain and offset) and correction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:53
-	550	(rotational near angle) and gain and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:55
-	321	((rotational near angle) and gain and offset) and correction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 14:35
-	16	resolver and (differential near gain) and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 15:15
-	3	341/112.ccls. and differential and gain and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 16:21
-	31	341/112.ccls. and resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 16:41
-	128	341/116.ccls. and resolver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 17:01
-	134	resolver and error and correction and average and differential and max and min	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 17:02

-	174	resolver and sine and cosine and offset and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 15:30
-	2	3974498.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 10:52